

AP ArmaFlex<sup>®</sup> SA, AP ArmaFlex<sup>®</sup> FS SA, AP ArmaFlex<sup>®</sup> SA Duct Liner, AP ArmaFlex<sup>®</sup> FS SA Duct Liner, AP ArmaFlex Black Lap Seal, AP ArmaFlex White White Lap Seal

REVISION: 08/20/2019

REPLACES: 09/21/2018

### 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY

APPLICABLE PRODUCT NAMES	AP ArmaFlex <sup>®</sup> SA, AP ArmaFlex <sup>®</sup> FS SA, AP ArmaFlex <sup>®</sup> SA Duct Liner, AP ArmaFlex <sup>®</sup> FS SA Duct Liner, AP ArmaFlex Black Lap Seal, AP ArmaFlex White Lap Seal	
DESCRIPTION	Flexible Elastomeric Insulation	
MANUFACTURER /DISTRIBUTOR	Armacell LLC	
	7600 Oakwood Street Extension	
	Mebane, NC 27302	
	Tel: +1-919-304-3846	
	http://www.armacell.us	
	Technical contact point:	
	Kartik A. Patel	
	Technical Services Manager – Advanced Insulation	
	Tel: +1-919-304-8907	
	Kartik.a.patel@armacell.com	
EMERGENCY INFORMATION	Armacell LLC	
	7600 Oakwood Street Extension	
	Mebane, NC 27302	
	Tel: +1-919-304-3846	
	http://www.armacell.us	

### 2. HAZARDS IDENTIFICATION

**HAZARD DESIGNATION** This product is considered an article according to 29 CFR 1910.1200 by which it is categorized as a "Non Hazardous Chemical." As such, it is exempt from the requirements of the OSHA Hazard Communication Standard (HCS) and this SDS is offered only as a service.

No hazard symbols, signal words, or statements are required according to the OSHA HCS 29 CFR 1910.1200 and the Globally Harmonized System for the Classification and Labelling of Chemicals (GHS)

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient	CAS Number	Concentration
Acrylonitrile Butadiene Rubber (NBR)	9003-18-3	0-30%
Polyvinyl Chloride (PVC)	9002-86-2	0-30%
Ethylene Propylene Diene Monomer (EPDM)	25038-36-2	0-30%
Other proprietory additives	N/A	25 – 75%
Acetaldehyde	75-07-0	<0.1%
Methanol	67-56-1	<0.1%

#### 4. FIRST-AID MEASURES

IN CASE OF INHALATION Not applicable

IN CASE OF SKIN CONTACT Not applicable



AP ArmaFlex<sup>®</sup> SA, AP ArmaFlex<sup>®</sup> FS SA, AP ArmaFlex<sup>®</sup> SA Duct Liner, AP ArmaFlex<sup>®</sup> FS SA Duct Liner, AP ArmaFlex Black Lap Seal, AP ArmaFlex White White Lap Seal

REVISION: 08/20/2019

REPLACES: 09/21/2018

IN CASE OF EYE CONTACT	Not applicable
IN CASE OF INGESTION	Not applicable

## 5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA Unrestricted

**SPECIAL EXPOSURE HAZARDS ARISING FROM THE PREPARATION** Fire gases, do not breathe. Emits toxic fumes under fire conditions because of incomplete incineration. In the case of fire wear self-contained breathing apparatus.

#### 6. ACCIDENTAL RELEASE MEASURE

PERSONAL PRECAUTIONS Not applicable

ENVIRONMENTAL PRECAUTIONS Not applicable

**METHODS FOR CLEANING UP /** Take up mechanically.

TAKING UP

7. HANDLING AND STORAGE	
HINTS FOR SAFE HANDLING	None
HINTS FOR PROTECTION AGAINST FIRE AND EXPLOSION	None
HINTS FOR SEPARATION OF IMCOMPATIBLE PRODUCTS	None
FURTHER INFORMATION ON STORAGE CONDITIONS	Can be stored in clean, dry rooms under normal conditions with respect to humidity (50 - 70 %) and surrounding temperature of 32 $^{\circ}$ F – 95 $^{\circ}$ F (0 $^{\circ}$ C - 35 $^{\circ}$ C).

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

GENERAL HEALTH MEASURES	Not applicable
RESPIRATORY PROTECTION	Not applicable
HAND PROTECTION	Not applicable
EYE PROTECTION	Not applicable



AP ArmaFlex<sup>®</sup> SA, AP ArmaFlex<sup>®</sup> FS SA, AP ArmaFlex<sup>®</sup> SA Duct Liner, AP ArmaFlex<sup>®</sup> FS SA Duct Liner, AP ArmaFlex Black Lap Seal, AP ArmaFlex White White Lap Seal

#### **9.** PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE Tubes, Sheets, Rolls with pre applied adhesive

COLOR Black and White

ODOR Characteristic

MELTING POINT Not applicable

BOILING POINT Not applicable

LOWER EXPLOSION LIMIT Not applicable

UPPER EXPLOSION LIMIT Not applicable

DENSITY AT 73 °F (23 °C) 3 – 6 lb/ft<sup>3</sup> (48 – 96 kg/m<sup>3</sup>)

WATER SOLUBILITY 73 °F (23 °C) Insoluble

<b>10.</b> STABILITY AND REACTIVITY		
CONDITIONS TO AVOID	Avoid open flames.	
HAZARDOUS REACTION	No dangerous reactions known.	
HAZARDOUS DECOMPOSITION PRODUCTS	No decomposition if used as prescribed.	

#### **11. TOXICOLOGICAL INFORMATION**

**EXPERIENCE MADE IN PRACTICE** When used and handled according to specification, the product does not have any harmful effect according to our experience and knowledge.

### **12.** ECOLOGICAL INFORMATION

ADDITIONAL ECOLOGICAL The product is classified non-hazardous to waters. INFORMATION

#### **13.** DISPOSAL CONSIDERATIONS

**DISPOSAL PRODUCT** Dispose waste according to applicable local, state and federal regulations.

#### **14.** TRANSPORT INFORMATION

No hazardous material as defined by the transport regulations (ADR/RID, IMDG-Code, ICAO-TI/IATA-DGR).

REVISION: 08/20/2019

REPLACES: 09/21/2018



AP ArmaFlex<sup>®</sup> SA, AP ArmaFlex<sup>®</sup> FS SA, AP ArmaFlex<sup>®</sup> SA Duct Liner, AP ArmaFlex<sup>®</sup> FS SA Duct Liner, AP ArmaFlex Black Lap Seal, AP ArmaFlex White White Lap Seal

### **15.** REGULATORY INFORMATION

This product does not require labelling in terms of REACH regulation (EC) 1907/2006

#### **California Proposition 65**

Chemical Name	CA Proposition 65
Acetaldehyde	Cancer
Methanol	Birth Defects or other reproductive harm

## **16.** OTHER INFORMATION

The data in this safety data sheet describe the safety requirements of our product based on our current level of knowledge and may not be considered to guarantee any product properties and it is sufficient for **United Nations' Globally Harmonized System of Classification and Labeling of Chemicals (GHS) standard.** However, we have no knowledge of or control over the working conditions. Safe work practices must be employed when working with any materials. It is important that the end user makes a determination regarding the adequacy of the safety procedures employed during the use of this product.

REVISION: 08/20/2019

REPLACES: 09/21/2018